



DIALYSIS WATER TESTING

Address: 201 C Towers Drive
Greenwood, SC 29649

Toll Free: 844-813-0406 or 864-942-0003

Fax: 864-942-0006

Facility Name:	Contact:	Phone:	PO #:
Address:	Email:	Fax:	

PLEASE MARK ALL THE APPROPRIATE BOXES NEEDED FOR EACH SAMPLE

SAMPLE IDENTIFICATION	SOURCE	DATE OF SAMPLE	COLONY COUNT	LAL	Fluid Balance	AAMI Water Panel
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					

SAMPLE IDENTIFICATION	SOURCE	DATE OF SAMPLE	COLONY COUNT	LAL	Fluid Balance	AAMI Water Panel
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					
	WATER <input type="checkbox"/> DIALYSATE <input type="checkbox"/> BICARBONATE <input type="checkbox"/> SALINE <input type="checkbox"/>					

Additional Information: